









**ANNEX 16 – EQUIPMENT/SADDLERY REFERENCE**

This annex is to be used as a reference to Article 428, and must only be used in conjunction with the written rules which take precedence over this annex. The images below are examples only, and similar equipment which produce the same effect on the horse are also allowed if they adhere to the written rules.

**Bridles**








|  |  |
|--|--|
|                            |  |
| <p>Ex. of Double Bridle, used with cavesson noseband, throat lash, bridoon and curb bits, and curb chain</p> | <p>Crown piece may not extend beyond the two arrows</p>                            |

|   |   |  |
|---|---|--|
|  |  |  |
| <p>Ex. of Cavesson noseband</p>   | <p>Ex. of dropped noseband</p>  | <p>Ex. of flash strap</p>  |




|   |   |  |
|---|---|--|
|  |  |  |
| Ex. of crossed/mexican/grackle noseband   | Ex. of combined noseband – no throatlash necessary                                | Ex. of Micklem style bridle – no throatlash necessary                              |







**Bits**

Cheek Pieces:




|   |   |  |
|---|---|--|
|   |   |   |
| Ex. of Loose Ring cheek   | Ex. of Eggbutt cheek  | Ex. of D-Ring cheek  |
|  |  |  |
| Ex. of upper cheek  | Ex. of full cheek   | Ex. of hanging cheek   |
|  |   |  |
| Ex. of Fulmer cheek   |   |  |


Mouthpieces:





|   |   |  |
|---|---|--|
|  |  |  |
| Ex. of single jointed mouthpiece  | Ex. of double jointed mouthpiece  | Ex. of double jointed mouthpiece   |

|   |   |   |
|---|---|---|
|  |  |  |
| Ex. of unjointed mouthpiece   | Ex. of barrel joint   | Ex. of ball joint   |
|  |  |  |
| Ex. of double ball joint  | Ex. of centrepiece with a roller  | Port deviation measurements   |

Curb Bits:

|  |  |  |
|--|--|--|
|  |  |  |
| Ex. of curb with straight cheeks   | Ex. of curb with port and sliding mouthpiece (rotating arms also allowed)          | Ex. of curb with S cheeks  |



|   |  |
|---|--|
|  |  |
| Ex. of Curb chain   | Ex. of Leather cover for curb chain  |
|  |  |
| Ex. of lip strap  | Ex. of cover for curb chain  |